for Preservation

App. F. IX-4

Previous References

1930 (VP)

File No. 61-30

Serial Nos. 1+2

Later References

General and Revenue Secretariat.

Serial Nos. Two

P:16-V **Part B for** March 31

SUBJECT.

Minutes of meeting with the Director of Health & Executive Engineer on the 5th December 1930 re sinking of bore-wells.

(1 2) To, The Secy of Govt
" Precst of St Geo Fort Secy of Govt
" Dr of Health
" Chief Engineer
" Precst C. E. Cl Bangalore
" Exl Commr thro' Precst C. E. Cl Bangalore
" Comptroller
" Rev Commr
" Dr of Ayr
No L 7662-83 dt 17-3-31

Issues certain instructions in regard to the sinking of drinking Water wells & directs that the Sanitary Engineer Rockefeller Foundation should be consulted before the Work is commenced.

GEN 3453
-5 JAN.
L. S. G. BRANCH
GENERAL MISCELLANEOUS BRANCH
3974
16 DEC 1930

~~Jul 205-30-2~~
VP 61-30-1

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Note of discussions at the monthly meeting with the Director of Health and Mr. Mieldazis on the 5th December 1930.

Dewan's Orders:-

× × ×

2. Dug Wells A sketch and a plan of the surroundings of any proposed well within a radius 150 ft. should be prepared and sent to the Bureau. (designs of standard wells may be circulated by the Bureau of Sanitary Engineering).

Ltd PM.
5/12/30

Extract

L. S. G. Branch
Rec'd
7/12

3.12.30

Submitted
It is not known whether the wells refer to those undertaken by Dists or village Panchayats. The Govt orders may be requested.

N.B.—Should routine notes be written on small slip the notes must be copied, or slips pasted o this form.

(509

~~9474~~

3455
185

G.R.S. III—3]

Routine Notes.

[To be used only for notes. requisitions, etc., not intended for permanent record.]

Draw up a copy giving proceedings with a view to ensuring this Branch knows exactly the course of action to be taken in the matter

3
13.1.31 G.M.-Br) 16.1.31

Subd The ~~Treasury~~ Treasury view on this subject is put up more correctly than in proceedings (Flag A)

WM WS L.S.Q)
27/1/1931 B.S.

Exact information on what is meant and is necessary the previous notes on the Sanitary file do not give any clue. If applied, the Dept of Health may be requested to furnish the information.

A

N.B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

29/1/31

Gen Secy) 29.1.31

30.1.31

G. K. S. III—3]

L 345

ROUTINE NOTES.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

W No. 99 of 1930
3.2.31



Forwarded unofficially with compliments to the Director of Sanitation & Director of Health, for favour of information

B—o

Subahmanyasastri
31-1-1931
For General Secy to get
Dy
30/1/31

e597-2 W.B. file
11-2-31

This was a subject brought up at the meeting by Mr. J.J. Meildazis Sanitary Engineer, Rockefeller Foundation. I have consulted him in the matter and this is what I gathered from him.

Bore wells are being sunk in different parts of the State. As per recent Government Order before any more bore wells are taken up, the Sanitary Engineer should be consulted. He has not received any reference in this matter so far. He considers it very necessary that any proposals for bore wells should be referred to him, before the work is commenced.

Sd. in the Sanitary section

JBR
1.4.2/31

N.B.—Should routine notes be written on small slips the notes must be pasted on this form.

ROUTINE NOTES.

As regards dug wells, the Engineer should be furnished with a sketch drawn to scale showing the site of the well and its surroundings within a radius of 150 feet in all cases where the well work is proposed to be undertaken by any public body out of public funds; Government, District Boards, Village Panchayets, and Municipalities. The sketch may be prepared by the agency that will eventually execute the work. It should show details as to existence of latrines cess pits, manure heaps, cattle sheds, residential houses, trees, agricultural land, any premises where offensive trades are conducted, any factories, grave yards and cremation grounds &c., within a radius of 150 feet of the proposed well. Information as regards the nature of the soil and the quality of water in existing wells in the neighbourhood should accompany the sketch.

On receipt of the sketch the Engineer will arrange for inspection of the site if possible or give his opinion from perusal of the sketch.

The Engineer has seen some well works recently executed. Wells are being excavated in very undesirable

L 3455

ROUTINE NOTES.

undesirable and unsuitable places. If he is consulted he would be able to guide and advise properly.

I showed him G.O.No. 7500-10/L.B. 12-15-27 dated the 7th April 1916 issuing instructions for sinking drinking water wells, with two type designs He is in general agreement with the instructions but he thinks ~~stoning~~ steining of the well with cement concrete or stone or brick masonry properly ~~poured~~ pourted up to the first impermeable stratum desirable. He also considers an impervious platform at least 8' all-round the parapet wall, necessary, instead of 4' as noted in the Government Order.

Director of Health.
11/3/31

Rec 13/2

Reg 11/2/31

Submitted for orders

13/2/31 Please put up a draft G.O embodying the above suggestions - The Dir of Ind & c may then be consulted also

13.2.31

G. R. S. III—3]

L 3453

ROUTINE NOTES.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Submitted with a draft l.o
for consideration
83 AS
19-2-31. The Dir of I & C
may also be consulted.
Gen Secy VS
18.2.31

Yes - unofficially
RS
19/2/31

No No 111 of 29-30
19/2/1931

Forwarded w.o.l.y
with compts to the
Director of Industries
and Commerce
for favor of opinion
By Order
V Subrahmanyasastri
for Gen. Secy to Govt
19.2.1931

No. 66 Dated. 20.2.30 D 3/2
9/2

N. B.—Should routine notes be written on small slips the notes must be cipoed, or slips pasted on this form

D. I. C

Case No.....of 192.. ....

Notes.

Subject :—.....

.....

.....

Dep.166/10-3-31

Forwarded with compliments.

The Director of Health has suggested that his Department should be consulted regarding the suitability of sites selected before borewells are put - down. I may state that the only inconvenience of the arrangement is the delay that is likely to - ensue causing unnecessary expense to Government. The pay of the Well-boring staff is met mainly from the fees charged for the service of the staff and if any delay should occur in the selection of sites the salaries of staff should have to be met for such periods from Government grants as they will not be paid by any local body. If, however, the Director of Health will agree to deal with all correspondence regarding this matter without unavoidable delay, I am quite agreeable to consult him before boring -- work is started at any site.

2. I may state that I am also agreeable that the - Bureau of Sanitary Engineering should investigate and carry out all schemes for the supply and distri -bution of water obtained by means of boreholes, the Department of Industries and Commerce being only - responsible for putting down boreholes and installing pumps to lift the water to the surface.

Ramagar alias New Sattle

Director of Industries
and Commerce in Mysore.

10th March1931.

Govt Secy to Govt

D 038—GPB—10.000—10-9-29

Case No.....of 192.....

Notes.

Subject :—.....

OFFICE OF THE
THIRD MEMBER OF COUNCIL.
14 MAR. 1931
No. 5789

Please put up Dewan's memo on the same subject—

Sd/-
11/3

Please see linked file regarding Dewan's Memo putting forth draft G.O. His reasons for town planning & extension of

Gen Secy)
12.3.31

The draft G.O. may be approved

Sd/-
13/3

Issued vide 7662-83 dt 17.3.31 to Dy Sec Bldgs Revenue & Press. Accounts Director of Health Mr. Chief Engr. Municipal Engr, Director Municipal Admn. Press necessary instructions in the matter

Sd/-
18/3

Please issue ... to the printing

Sd/- 18/3/31

It has been printed

Sd/-

G.R.S. App. F VI G-2]

SUBJECT .....

Diary No. of letter replied to L 3455

Sec. V. P.

File No. 61-30

Serial No. 2

General and Revenue Secretariat

(V. P.)

the *193* .

Proceedings of the Government of His Highness the Maharaja of Mysore.

Date of issue 17/2/31

Signed by M V. S Sastry

Read—

1) G.o. no 7500-10 AB 1915-27 dated 7-4-16 issuing instructions for sinking drinking water wells and circulating type-designs for the information of the Several District Boards.

2) Order Thereon No. Letter no D 69 60 Itc 201-30-2 dated 7.1.31 from the Secy. to Govt Dev-Deptt, to the Director of Industries & Commerce stating that a programme for the sinking of bore-wells should be drawn up in the agree of the Dairy Engineer and that the Director of Itc.

May this be

(i) Printed ? Yes

(ii) treated as a standing order ? Yes

(iii) published in the Gazette, English Part?

(iv) translated ?

(v) placed at the disposal of the press ? Y

(vi) published in the Gazette, Kannada Part ?

should consult the Bureau of
Sanitary Engineering about the
suitability of sites for boring wells
Order:- L 7662-83 dt 17/3/31

Instances have come to the
notice of Govt. in which wells are
being excavated in very undesirable
and unsuitable places. Government
consider it necessary that proposals
for bore wells should be referred to
the Sanitary Engineer, Rockefeller foundation
before the work is commenced and
that as regards already dug wells the
should be furnished with a sketch
drawn to scale showing the
site of the well and its surroundings
within a radius of 150 feet in
all cases. Where the well work
is proposed to be undertaken by public body.
by the Govt. or out of public funds
by any Local Body (Viz.) Dist Boards
Village Panchayets and municipal
Councils. The sketch may be prepared
by the Agency that will eventually

List of enclosure

Copied by

Examined by

WD 02560 --GPB --11,250 --2-7-30

G. R. S. G/33]

GENERAL AND REVENUE SECRETARIAT.

(Continuation sheet draft form.)

execute the work. It should show details as to existence of latrines cess pits, manure heaps, cattle sheds residential houses, trees agricultural land, all premises where offensive trades are conducted and all factories, graveyards and cremation grounds within a radius of 150 feet of the proposed well. Information as regards the nature of the soil and the quality of water in existing wells in the neighbourhood should also accompany the sketch.

and the like.

2. The instructions issued and the type designs approved in the G.O. of 7th April 1916, read above will be followed in sinking dug wells. Each well should be steined with cement concrete or stone or brick masonry properly formed up to the first impermeable stratum and provided with an impervious

WD 2230—GPB—1,00,000—23-7-20

platform of at least 8' all round a
in parapet wall instead of 4' as
noted in the G.O. of April 1916.

18.2.31

19/2/31

SS General Secy to Govt
17/2/31

SS
17.2.31

The Dy comrs of districts
The Presidents of DBDs (Ultra Secs of districts)
The Director of health
The Chief Engineer in Mysore
The President City Mcl Mysore.
The Mcomrs Bangalore City Mcl (Ultra President)
The Comptroller.
The Revenue Commr in Mysore
The Director of Ite

Copy to Govt & Dy Branches

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE.

Read:—

Government Order No.7500-10 L.D.12-12-27 dated, the 7th April 1916 issuing instructions for sinking drinking water wells and circulating type-designs for the information of the several District Boards.

2. Letter No.55900 I.&.C.201-33-2 dated, the 7th January 1931 from the Secretary to Government, Development Department to the Director of Industries and Commerce, stating that a programme for the sinking of bore-wells should be drawn up with the advice of the Sanitary Engineer and that the Director of Industries and Commerce should consult the Bureau of Sanitary Engineering about the suitability of sites for boring wells.

Order No. 7662-82/V.O.61-30-2

Dated, Bangalore, the 17th March 1931.

Instances have come to the notice of Government in which wells are being excavated in very undesirable and unsuitable -- places. Government consider it necessary that proposals for bore-wells should be referred to the Sanitary Engineer, Rocke Feller Foundation before the work is commenced and that as regards wells already dug he should be furnished with a sketch drawn to scale showing the site of the well and its surroundings within a radius of 150 feet in all cases, where the well work is proposed to be undertaken by any public body. The sketch may be prepared by the Agency that will eventually execute the work. It should show details as to existence of latrines cess pits, manure heaps cattle sheds, residential houses, trees, agricultural land, all premises where offensive trades are conducted and all factories grave yards and cremation grounds within a radius of 150 feet of the proposed well and the like. Information as regards the nature of the soil and the quality of water in existing wells in the -- neighbourhood should also accompany the sketch.

The instructions at issued and the type designs approved in the Government Order of 7th April 1916. read above will be followed in sinking dug wells. Each well should be stained -- with

with Cement, concrete or stone or brick masonry properly pointed on the first impermeable stratum and provided with an impervious platform of at least 6' all round, the parapet wall instead of 4' as stated in the Government order of April 1910.

Subramanyapuram

for General Secretary to Government.

The Deputy Commissioners of Districts.
President of District Boards through the Deputy Commissioners of Districts.
Director of Health.
Chief Engineer in Mysore.
President, City Municipal Council, Mysore.
Municipal Commissioner, [illegible] the President, City Municipal Council, Bangalore.
Comptroller to the Government of Mysore.
Revenue Commissioner in Mysore.

...l.12.
15/3/31.

S.O.

Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE DEPARTMENTS.

G. O. No. L. 7662-83—V. P. 161-30-2. dated 17th march 1931.

Drinking Water Wells.

Issues certain instructions in regard to the sinking of —— and directs that the Sanitary Engineer, Rockefeller Foundation should be consulted before the work is commenced.

READ—

Government Order No. 7500-10—L. B. 12-15-27, dated the 7th April 1916, issuing instructions for sinking drinking water wells and circulating type-designs for the information of the several District Boards.

2. Letter No. D. 6900—I. & C. 201-30-2, dated the 7th January 1931, from the Secretary to Government, Development Departments, to the Director of Industries and Commerce, stating that a programme for the sinking of bore-wells should be drawn up with the advice of the Sanitary Engineer and that the Director of Industries and Commerce should consult the Bureau of Sanitary Engineering about the suitability of sites for boring wells

ORDER NO. L. 7662-83—V. P. 01-30-2. DATED 17TH MARCH 1931.

Instances have come to the notice of Government in which wells are being excavated in very undesirable and unsuitable places. Government consider it necessary that proposals for bore-wells should be referred to the Sanitary Engineer, Rocke Feller Foundation before the work is commenced and that as regards wells already dug he should be furnished with a sketch drawn to scale showing the site of the well and its surroundings within a radius of 150 feet in all cases, where the well work is proposed to be undertaken by any public body. The sketch may he prepared by the Agency that will eventually execute the work. It should show details as to existence of latrines, cess pits, manure heaps, cattle sheds, residential houses, trees, agricultural land, all premises where offensive trades are conducted and all factories grave yards and cremation grounds within a radius of 150 feet of the proposed well and the like. Information as regards the nature of the soil and the quality of water is existing wells in the neighbourhood should also accompany the sketch.

2. The instructions issued and the type designs approved in the Government Order of 7th April 1916, read above will be followed in sinking dug wells. Each well should be steined with cement, concrete or stone or brick masonry properly pointed up to the first impermeable stratum and provided with an impervious platform of at least 8′ all round the parapet wall instead of 4′ as noted in the Government Order of April 1916.

B. NARAYANASWAMI IYENGAR,
Offg. *General Secretary to Government.*

To—The Deputy Commissioners of Districts.
The President of District Boards, through the Deputy Commissioners of Districts.
The Director of Health.
The Chief Engineer in Mysore.
The President, City Municipal Council, Mysore.
The Municipal Commissioner, through the President, City Municipal Council, Bangalore.
The Comptroller to the Government of Mysore.
The Revenue Commissioner in Mysore.
The Director of Industries and Commerce.

Exd—P. S. R. N.

W D 2107—GPB—475—24-3-31